



ANOTHER DIMENSION ENTIRELY

 PORT LAUDERDALE • NEW YORK  
 NEWPORT

YACHT DESIGN

BROKERAGE

Featured Yachts

Search

CHARTER

MANAGEMENT

INSURANCE



Yacht Sales - Brokerage

NY (212) 661-6170 | FL (954) 524-4616 | RI (401) 847-5449

[Yacht Basic Info](#) | [Yacht Details](#) | [Print Listing](#) | [Contact Us](#) | [Yacht Photos](#)

## Yacht Details



**LOA:** 65'3" (19.9 m)  
**Year:** 2006  
**Builder:** NAUTOR SWAN  
**Model:** Swan 62  
**Category:** Cruising Sailboat

**Price:** 3,250,000 USD

**Located in Antigua And  
 Barbuda**


 SPARKMAN & STEPHENS, INC.  
 NAVAL ARCHITECTS - MARINE ENGINEERS  
 YACHT AND CHARTER BROKERAGE  
 MARINE INSURANCE

S&amp;S Office Locations

**New York, NY: 212.661.6170**  
**Fort Lauderdale, FL: 954.524.4616**  
**Newport, RI: 401.847.5449**

[Visit Our Web Site](#)  
[Email Us](#)

### Brokered By


**Kevin Dailey**

 Cell **203-434-6060**

 Office **212-661-6170**

 Fax **212-661-1235**


### Accommodations

#### Interior General

- Spring Mattress, with cover for aft cabin double berth.
- Sunbrella covers for floorboards with non skid.
- Custom margin board trim around all of the floor perimeters.
- Teak floor board "lists" trim through entire boat.
- Leather upholstery for saloon sofas and nav. seat.
- Slip covers for saloon sofas, chairs and nav seat.

#### Bulkheads

- GRP covered bulkheads in oilskin locker with drain to bilge.

#### Owners Cabin

- Features a centerline queen bed with built in lockers port & starboard.
- The port side has large hanging lockers w/louvered doors, to starboard is a small settee & makeup table.
- The owners head has a separate stall shower. Toilet Par Jabsco Quiet Flush 37245.

#### Guest Cabins

- Port cabin features two single berths, one over the other.
- Starboard cabin features a double berth. Each cabin has en-suite head.
- Hanging locker in center line.
- Louvered locker doors in aft cabin.

#### Forward Cabins

- Captain's cabin with en-suite head with wooden berth on starboard side, sofa with pipe berth above and locker on port side, hull side lockers on starboard side and hanging locker on center line.

#### Saloon

- Padded canvas covers for main saloon tables.
- Framed locker doors (raised panel) in saloon and galley.
- Locker for glasses above the bar. Glass doors, two acrylic shelves with holes for glasses.

**Galley**

- Corian top surfaces.
- Grohe Europlus pull-out faucet in galley.
- Brushed stainless steel plated sliding doors, with teak handles, behind the stove.
- Washer/dryer Spendure WDC5200, 115 V, 60 Hz
- Dish washer, Miele Touchtronic GB832SC, 115 V, stainless steel control panel, installed in galley.

**Engine Room**

- Canvas holder for tools inside engine room door.

**Noise and Vibration Control**

- Sound insulated bulkhead aft cabin/lazarette.
- Sound insulation of aft part of hull, 3 layers of damping compound to reduce prop noise.

**Engine /Mechanical Equipment****Engine & Hydraulics General**

- Reverso Oil change pump OP 703, 24V, connected to both main engine and diesel generator.

**Main Engine**

- Remote oil filter

**Fuel System**

- Total Capacity 900 liters
- Additional fuel lift pump
- Fuel filter for engine, Racor dual filter with vacuum gauge and for diesel generator, Racor single filter with vacuum gauge.

**Thrusters**

- Bowthruster, Maxpower R200/8, 24 V including separate battery bank and Mass battery charger.

**Electrical System****Electrical General**

- Lighting protection for DC 24 V to masthead

**AC-System**

- Up sized Diesel generator, Westerbeke 12.5 BTDB, 115V, 12.5 kVA/60Hz, including sound guard.
- 692 hours on generator
- Separate shore power inlet for air conditioning 115 V, 50 A.
- Additional shore power inlet, 230 V, including transfer, switch.
- Inverter, Mass Sine 24/2500 VA & 24/1000 VA, 115 V, including transfer switch.
- Battery charger for service batteries, 115 V 50-60Hz.
- Mastervolt 100 A charger.
- Box in lazarette for all shore power inlets and cable TV/phone inlet, hatch in transom for the cable.

**Powered Hydraulics**

- Reckman Power Pack, Size 3, 24 V, 3 kW, 5 functions to drive anchor windlass, primary winches, main sheet winch and furler

**DC-System**

- Separate radio battery bank 240 Ah 24 V gel cell batteries, including battery charger Mass 24/50 A, 115
- Battery parallel switch for service and radio battery bank.
- Multiple 12 V outlets in interior.
- Upgraded battery capacity to 600 Ah gel cell batteries.

**Ventilation & Heaters**

- 5 Hella Turbo Fans
- Upgraded Slpes-Inox stainless steel pull-out hood above the stove instead of standard teak.

### Electrical Panel

- Masterlink BTM1 battery Ah capacity meter.
- Counter on 2 bilge pumps
- High level bilge water alarm system
- Push buttons for headsail furler mounted on pedestal.
- Additional control button for main sheet winch, positioned at helm
- Remote control for anchor windlass, push buttons in cockpit

### Lights

- Dimmers for overhead lights in aft cabin and guest cabins.
- Light with switch in hanging locker, 5 pcs.
- Tricolour/anchor/strobe light at masthead.
- Cantalupi Ragno, chrome reading lights.
- Indirect light- Kick lighting:
  - in guest cabins, incl. dimmer
  - in aft cabin around berth, incl. dimmer
  - for hull windows in saloon, incl. dimmer
- (2) Boom lights with dimmer and switch in engine control panel.
- Additional overhead lights:
  - one spotlight about the mirror in each guest toilet and one in owner's toilet.
  - 2 Fluorescent lights in lazarette
  - one red light port side in saloon with separate switch.
- Red night light in aft cabin, and in each toilet, with separate switches.

### Electronics

#### Interfaced Electronics and Computer System

- Electronic barometer Vetus Meteoliner
- B&G Hydra Cruise Base Pack, including:
  - NEMA FFD at navigation station
  - Vertical masthead unit, 1450 mm
  - Halycon 2000 Fluxgate compass
  - Speed and depth transducers
  - Barometric pressure sensor
  - Additional non-NEMA FFD displays, 2pcs below main sheet winch and 2 pcs on pedestal wings
  - 360 wind direction display in cockpit below main sheet winch

#### Navigation Systems

- Radar detector Sea-Me, antenna on masthead
- Back-up GPS system, Northstar 952W at chart table with separate antenna on pushpit
- Furuno MU-155C 15" Color LCD monitor at chart table
- Furuno GP-320B GPS/WAAS receiver antenna, and scanner RSB-0071-058 on mast
- Furuno black box radar, RPU-015 with control unit RCU-017

#### Communication Systems

- Sat Com Fleet 33 Thrane & Thrane TT-3088A for Voice/Fax. Data interface connected to onboard computer. Handset positioned at nav station.
- Icom SSB, IC-M802, 150 W with AT-140 coupler
- Icom VHF 1C-602, DSC, class D, with handset at navigation station, second
- Icom handset HM-127W, in aft cockpit GRP-box
- Furuno Intercom, LH-3000 in cockpit, hailer on mast, Furuno internal speakers LH-3010 at nav. station, in crew cabin, owner's cabin and in guest cabin.

#### Entertainment Systems

- Pop-up lift system for 30" TV, mounted in saloon behind sofa.
- Bose Lifestyle 48 stereo system in saloon:
  - radio/DVD/CD

- surround sound speakers, 5pcs
- subwoofer built into main saloon sofa

- 2 amplifiers for cockpit music system
- Sony XS-MP61 speakers in aft & forward cockpit
- Volume control in aft & forward cockpits

### Autopilot Systems

- B&G autopilot
- Back-up autopilot, B&G Hercules BHG17002 ACP2, with B&G ram, quick connection. Display on pedestal.
- Additional autopilot display B&G Hercules 890-9K-14 on pedestal
- Wireless autopilot remote control, B&G Remote Vision

### Aerials

- Delta Biscaya Active antenna, for VHF, TV and AM/FM radio, including windex
- Emergency VHF antenna, Celwave Celma 2-1, Outlet for antenna inside port cockpit GRP-box.
- The antenna with 3-4 meter cable and pushpit mount included to be stored inside the boat. Antenna switch at chart table.
- Cable TV/phone inlet in aft coaming, phone outlet at nav station.
- TV antenna outlet and 115 V outlet in skipper's cabin.
- Change-over switch at chart table, for selecting between TV shore inlet and TV antenna.
- Insulated backstay for SSB receiver/transmitter aerial.
- Grounding cage in lazarette for SSB radio telephone.

### Computer Systems

- Laptop systems with docking station for main laptop in chart table desk.
- SeaBook M10E, 10" displays on each steering pedestal.
- Furuno VGA switch for cockpit monitors.

### Sails and Rigging

#### Sails

- Spectra Fully Battened Mainsail
- Spectra 135% Genoa
- Spectra Staysail for inner forestay
- Asymmetric Cruising Spinnaker "Code 3A" 1.5oz
- Storm Trysail

#### Mast

- Offshore Spars standard modulus carbon fibre mast painted white.
- Carbon "Park Avenue" boom (no spinnaker pole, no jockey pole)
- Hydraulic mast jack, rod backstay.
- Aramid babystay and inner forestay, and running backstays.
- Folding foot steps on mast (2 pairs)
- Separate trysail track on mast, port side
- Bracket on mast for Furuno GPS/WAAS antenna under babystay,
- Tracks on boom for sun shade
- Split backstay to allow easy access to swim platform & dinghy garage
- Furlers- Reckmann RF-90-3R hydraulic furler for head sail, driven by Reckmann Power Pack.

### Rig Hydraulics

- Upgraded boom vang for Park Avenue boom, Navtec N30
- Hydraulic jib halyard tensioning cylinder mounted on mast
- Navtec Quick release for boom vang, including stainless steel protection for the button in cockpit.

### Deck & Hull

#### Hull

- Gelcoat topsides, color NGA 7344, dark blue
- Bottom paint Interspeed Ultra, black

### Steering System

- Custom desinged steering pedestal with brackets for navigation instruments, engine throttle control, bow thruster joystick and

- electric control buttons
- Varnished teak steering wheels, with carbon spokes
- Transom - Exhausts for engine and generator mounted under transom
- Flush hull windows in saloon, both sides
- Boarding ladder - Carbon fibre gangway, Multiplex, 3,2m
- Dinghy garage in transom, large openable hatch and hydraulically openable bathing platform
- Racks for scuba bottle in the garage

#### Deck

- Two coaming stripes, same color as the hull, dark blue
- Teak deck, 12mm, instead of standard 9mm
- Removable teak foot rest for helmsman

#### Winches & Windlasses

- Harken primary winches, 2 x B74.3 STH stainless hydraulic
- Harken secondary winches, 2 x B70.2 STC
- Harken main sheet winch, 1 x B70.2 STH chrome hydraulic
- Harken main sheet traveler control winches, 2 x B46.2 STC
- Lewmar Concept 3 hydraulic anchor windlass

#### Sailing Handling Systems

- Recessed lead blocks at mast for spinnaker, genoa and main halyards.
- Also, reefs, topping lift/staysail halyard.
- Lead aft in tubes underdeck, foreguy lead aft, ZS 1214 halyard jammers, clutch for staysail halyard.
- Recessed genoa sheet tracks, 32 mm stainless steel Harken T-track, Harken with Harken cars.
- Upgraded Harken main sheet track and car.

#### Deck Fittings

- Gate in pushpit
- Gangway fitting in 2 locations - from aft deck & swim platform
- White painted carbon fibre tapered antenna post mounted through aft deck on starboard side, removable and with quick connection for the cables, separate arms for antenna, davit for lifting outboard engines.
- Lights pointing at the swimming platform and the cockpit.
- Storage lockers in forward part of cockpit lockers both sides for halyards & sheets.
- Deck fittings at life line gate for bathing ladder.
- Pop-up mooring cleats Versari & Delemont.
- Seat on pushpit, both sides.
- Stainless steel bar in anchor locker for fender storage.
- Table for forward cockpit, with bottle storage, with adjustable height.

#### Climate Control

##### Air Conditioning

- Marine Air, central unit, water chilled, reverse cycle, in saloon, aft cabin, guest cabins and fore cabin.

##### Heating Systems

- Eberspacher D7W, 24 v, mounted in lazarette, connected to air conditioning system fan coils.

##### Refrigeration Systems

- Selector switch for the standard freezer, to use the service batteries as back-up.

#### Plumbing

##### Fresh Water System

- Total capacity 840 l
- Water maker, Spectra Newport 700, including automatic salinity control, automatic fresh water blackflush, remote control panel.
- Drinking water purifier

##### Sea Water System

- Selector valve chest for fresh or sea water toilet flushing, 4pcs.

#### **Black Water System**

- Additional stainless steel holding tank with electric pump and deck suction line.
- Additional submersible electric bilge pump, manual and automatic control

#### **Equipment**

- Niro Peterson stainless steel anchor chain 10 mm, 60m
- 2 Horse shoe lifebuoys with lights mounted on pushpit.
- Man Overboard Module, MOM MK VIII A
- Wall safe Chubb, WS 2, with combination lock
- Wintson type A, 8-man life raft
- Inflatable dinghy w/outboard engine - excellent condition
- Seperate Sunbrella covers for each pedestal
- Sunbrella Cushion and backrest padding for the pushpit seats.
- Padded wooden protection for main hatch entrance threshold.

[Yacht Basic Info](#) | [Yacht Details](#) | [Print Listing](#) | [Contact Us](#) | [Yacht Photos](#)

[Employment](#) | [On-Line Resources](#)

Copyright 2008- All Rights Reserved - S&S Inc. - [Web Site Terms & Conditions of Use](#)